S Spitzer Ranch



Professional Cattlemen's Brangus Bull Sale

Saturday, February 22, 2014 1:00 EST pm • Fair Play, SC

Dear Friends and Customers,

This catalog contains complete performance information on bulls for our 2014 sale offering. These bulls represent our 30-plus-year commitment to supplying breed leading genetics to our customers. We have consistently striven to breed functional Brangus bulls to fill the needs of the profit minded commercial and registered Professional Cattleman and feel truly blessed to be holding our 21st annual sale.

Spitzer Ranch has a program structured around the disciplined breeding strategy of using only proven sires to increase genetic consistency. Our genetic program is different in that we are "Bull-Centric" and build that consistency by stacking generations of high accuracy sire lines proven to be curve benders. Please see www.srbulls.com for a more complete description of our program. We have never wavered from pursuing our goals because of what is "trendy" or "fashionable" at the time. Spitzer Ranch has had a steadfast adherence to the Professional Cattleman's demand for profit driven cattle. We totally embrace a philosophy grounded in the twin thoughts of objective selection of cattle for economically relevant traits that enhance profitability; and a total orientation to the needs of the commercial beef industry. Increasingly often we are generating bulls that also grab the attention of other Registered Brangus Breeders.

Thanks again for your interest and attention; we are confident you will like our program and our bulls. Please come to our sale where you will find a super group of honest, solid bulls with the proven reliable genetics to put pounds on the ground and dollars in your pocket. Please contact us if you desire additional information, need us to buy your bulls for you or if there is anything at all that we can do to be helpful.

Sincerely,

Doc, Patricia and Ben Spitzer



Professional Cattlemen's Brangus Bull Sale

Saturday, February 22, 2014

ANNOUNCEMENTS MADE ON SALE DAY TAKE PRECEDENCE OVER ALL PREVIOUSLY REPORTED INFORMATION

SALE DAY SCHEDULE

8:00 AM EST	Animals on Display
Noon EST	Complimentary Meal
1:00 PM FST	Sale Begins

SALE DAY PHONES

Home Office	864/972-9140
John Spitzer	864/710-0257
Patricia Spitzer	
Ben Spitzer	864/723-3779
Michael Hunt	770/877-2098
Jamey Hunt	678/986-4825
Wesley Hunt	770/548-7950
Seth Hunt	770/548-1667

TELO-AUCTION AVAILABLE

NOTE: For any telephone bidding you <u>must</u> contact us in advance to register a bid number.

If you will not be able to attend the sale, you will still be able to bid by way of a conference call hookup. Beginning at 1:00 EST PM on sale day, potential bidders should call:

1-888-291-0312

to join the conference call live from the sale.

Enter the passcode: **9410759** followed by the # sign. There is no charge to the caller to be on the conference call hook-up.

CLAIMS FOR ADJUSTMENTS

Claims for adjustment must be made in writing to the seller within 6 (six) months of the sale date. All settlements will be made with credit at a future sale and this will, in any and all cases, be deemed full satisfaction and settlement.

LIABILITY

All persons attending this sale do so at their own risk. Neither Spitzer Ranch nor anyone connected with management of the sale assume liability, legally or otherwise, for safety of buildings or premises, or for behavior of animals.

TRUCKING

While hauling is typically a responsibility of the buyer, Spitzer Ranch continues the following policies. FREE HAULING anywhere on bull purchases of \$10,000 (one or several). FREE HAULING on bulls back to our Partners for Quality Cooperator locations. Additionally, we guarantee a maximum trucking cost of \$200 per bull within the states of GA, NC and SC if arrangements are made with us prior to the sale. For other states we will be glad to assist with transportation and will get your bull delivered as economically as possible. Transportation on female lots is strictly the responsibility of the buyer.

FREE HAULING ON BULLS TO:

Georgia	.Hunt's H+ Brangus, Calhoun,	GΑ
South Carolina	Will Taylor, Honea Path,	SC


SALE MOTEL

Quality Inn-Seneca

226 Hitec Rd. Seneca, SC 29678.....864/888-8300 Spitzer Ranch Rate of \$67 + Tax

DIRECTIONS TO SPITZER RANCH

Exit North off I-85 at Exit 2, Go North on SC Hwy 59 for 2 miles and look for our ranch sign on your left.



2014 Spitzer Ranch Bull Sale - Profitable Genetics from Performance Cattlemen



Bulls designated with the "Calving-ease Flag" are felt to be Low-Risk Bulls for calving difficulty and are suitable for use on first-calf females.

- 1. Calving Ease Direct EPD is expressed as a difference in percentage of unassisted births with a higher value indictating greater calving ease in first-calf heifers. It predicts the average difference in ease which a sire's calves will be born when he is bred to first-calf heifers.
- 2. Birth weight EPD predicts calf size and calving ease.
- 3. Weaning weight EPD predicts preweaning growth potential.
- 4. Yearling weight EPD predicts overall growth potential and post-weaning gain.
- 5. Milk EPD predicts the maternal contribution a bull passes to his daughters for milk production and mothering ability.
- 6. Total maternal EPD predicts the overall weaning weight of calves from daughters of a bull due to growth potential as well as milk production and mothering ability.
- 7. Calving Ease Maternal is expressed as a difference in percentage of unassisted births with a higher value indicating greater calving ease in firstcalf daughters. It predicts the average ease with which a sire's daughters will calve as first-calf heifers when compared to daughters of other sires.
- 8. Scrotal circumference EPD predicts testicle size.
- 9. Ribeye area EPD predicts muscling.
- 10. Percent intramuscular fat EPD predicts marbling and quality grade.
- 11. Fat EPD predicts external fat thickness and yield grade.
- 12. To make it easier to evaluate EPDs, the percentile ranking is shown below each individual EPD. This is a great way to understand where the individual ranks in the breed for that particular EPD. For example, where it shows "10%," this means that particular EPD value is in the highest, or TOP 10%, of all non-parent bulls in the entire breed. (A 10% for BW, however, means lowest, or lightest.)
- 13. Actual birth weight within 24 hours of birth.
- 14. Weaning weight adjusted to 205 days of age and for age of dam.
- 15. Ranking of individual 205-day adjusted weaning weight in relation to average adjusted weaning weight of weaning contemporary group of this calf. The contemporary group has an average ratio of 100.
- Average daily gain (pounds per day) during Spitzer Ranch's 168-day performance growth test.
- 17. Lifetime weight per day of age (actual weight divided by days of age) at the end of Spitzer Ranch's 168-day performance growth test.
- 18. Ranking of individual WDA in relation to average WDA of the entire test group, which has an average ratio of 100.
- 19. Yearling weight adjusted to 365 days of age and for age of dam.
- 20. Ranking of individual adjusted 365-day yearling weight in relation to the average adjusted yearling weight of yearling contemporary group. The contemporary group has an average ratio of 100.
- 21. Yearling frame score adjusted to 365-days of age.
- Yearling scrotal circumference (testicle size measured in centimeters) adjusted to 365-days of age.
- 23. Curve Bender Index (CBI). Our exclusive INDEX which combines values for low birth weight EPD and high yearling weight EPD into one value. This Index has a highest achievable numeric value of 148 and goes down from there. Bulls with a higher numeric value for CBI would be expected to sire calves with lighter birth weights and yet heavier weaning and yearling weights. Please see www.srbulls.com for a more complete discussion of the CBI or call for a printed version.
- 24. CBI Quartile Rank. The CBI as described above and is ranked as First, Second, Third or Fourth Quartile. There is probably very little difference among bulls within the same Quartile Rank for CBI. There are greater dif-

LOT #	AN	IIM	AL	NAI	ИE						Ownership
	Regis	tration	#	Е	Birth Da	nte		Та	ttoo		Brand
						EPD.	s				
CE	CED	BW	WW	YW	Milk	TM	CEM		REA	%IMF	
G.	1	2	3	4	5	6	7	8	9	10	11
1	12	12	12	12	12	12	12	12	12	12	12
Act	20	75-Day	/	Test			365-	Day Y	'earli	ng	
BW	Wt	Ra	atio	ADG	WD	A R	atio	Wt	Rat	,	
13	14	1	5	16	17	7	18	19	20) 2	1 22
Curve Be	nder In	dex			Card	ass L	Iltraso	und S	cans		
CBI	Quarti	le	REA	Ra	ntio	%IN	IF	Ratio		Fat	Ratio
23	24		25	2	26	27	7	28		29	30
sire: SIR	E					В	ase Pi	ice			
MGS: MA	TERNA	L GRA	NDSIF	RE							
<i>масs:</i> МА	TERNA	L GRE	AT GR	ANDSI	RE			Coi	mmei	nts	
<i>gggs:</i> MA	T. GRE	AT, GR	EAT G	RANDS	SIRE						
				ny Reco				_			trasound
Dam	Age #	Prog	Act B	W BW-	R WI	N-R	YW-R	RE	Α	%IMF	Fat
l 31 l	32	33	34	l 35	1 3	86 l	37	1 38	≀ I	39	40

ferences among bulls in different Quartile Rank for CBI.

- 25. Ultrasound measurement of rib eye area, which is indicative of muscling and positively correlated with retail beef.
- 26. Ranking of individual adjusted 365-day rib eye area in relation to the average adjusted rib eye area of the yearling contemporary group. The contemporary group has an average ratio of 100.
- 27. Ultrasound measurement of percent intramuscular fat or marbling in the ribeye muscle which is a predictor of quality grade.
- 28. Ranking of individual adjusted 365-day percent intramuscular fat in relation to the average adjusted percent intramuscular fat of the yearling contemporary group. The contemporary group has an average ratio of 100.
- 29. Ultrasound measurement of fat thickness at the 12th rib, which is a good indicator of yield grade.
- 30. Ranking of individual adjusted fat thickness at the 12th rib in relation to the average adjusted fat thickness at the 12th rib of the yearling contemporary group. The contemporary group has an average ratio of 100.
- 31. The tattoo or private herd number (PHN) of the dam of this calf.
- 32. Age of dam at time of birth of this calf.
- 33. Number of calves born to dam
- 34. Average actual birth weight of dam's progeny.
- 35. Average birth weight ratio of dam's progeny compared within contemporary groups.
- 36. Average weaning weight ratio of dam's progeny compared within contemporary groups.
- 37. Average yearling weight ratio of dam's progeny compared within contemporary groups.
- 38. Average ultrasound ribeye area of dam's bull calves.
- 39. Average ultrasound % intermuscular fat of dam's bull calves.
- 40. Average ultrasound fat thickness of dam's bull calves.

NOTE: All ultrasound scans (25-30 and 38-40) are adjusted to 365 days of age.

For your convenience, non-parent breed average EPDs are on each page.

		CED	BW	WW	YW	MILK	TM	CEM	SC	REA	%IMF	FT
EP	DS	5.0	0.8	24	44	11	23	7.0	0.5	0.31	0.02	0.000

2014 Spitzer Ranch Bull Sale – Profitable Genetics from Performance Cattlemen RESERVE SALE POLICY RETAINED-INTEREST BULLS

Pretty well everyone has a floor price under their bulls at auction. You know the game; a lot of bulls get bid off to the same number or the same name and no bull sells below a certain price. We believe that's pretty devious. We don't like playing games and we want to tell you our minimum price up front in an honest and straightforward manner. We have a reserve "Base Price" on each bull selling in this sale.

Each bull will be started at the listed "Base Price." If you are willing to bid the base price do so before we are past that bull in the sale order. Once we move on to the next bull in the sale order, any passed-over bull is still available for sale, but the price will then be \$100 over the base price as listed in this catalog. In fact, any bull not sold on sale day will be available at that price through March 16, 2014, from our private treaty pens. But, no bull sold after sale day will ever be lower than the reserve base price plus \$100.

Spitzer Ranch (and/or our cooperators) reserves the right to retain a 50% revenue sharing semen interest on any bull sold. Bulls are in your possession and under your control for natural service and you get 100% of the salvage value. We will continue to own half interest in bulls for the purpose of collecting and marketing semen, as well as using semen in our herds. While it is unlikely large amounts of semen will be collected or sold for many bulls, we need that as an option on bulls sold. As a buyer and at your option, you can also have a 50% revenue sharing semen interest and participate in revenue from semen sales. We have developed a Bull Partnership Agreement spelling out further details. Buying a retained-interest bull obligates you to that agreement only for semen collection and sales. To avoid any misunderstandings, if you have any questions at all, please ask. If you chose not to be involved with semen sales, we still reserve the right to collect and market semen on any retained interest bull.

Bulls are cataloged by sale order and sell in sale order based on the highest Curve Bender Index (CBI).


SPITZER RANCH HAS BEEN SERVING OUR CUSTOMERS SINCE 1982

When you purchase an animal from Spitzer Ranch you become part of our program and have an option to become part of our future sales. We are committed to you as a customer and deliver service with each sale. You will automatically be updated with current EPDs on your bull purchases and the females sired by those bulls become candidates to return as part of our Customer Commercial Brangus Female Sales. We pledge to conduct our business in a manner that demands providing only the best in genetics and services that make you a repeat customer. We definitely provide VALUE ADDED GENETICS and strive to provide VALUE ADDED SERVICE.

CALVING EASE BULLS

Over the years we have become more and more conservative on which bulls get Flagged "Calving Ease Bulls". We have adopted the philosophy that It is better for us to have stricter guidelines than for you to be sorry at calving time. Obviously there are no guarantees for preventing difficult births in heifers. Even the most proven "Calving Ease Bulls" of any breed will sire a large calf every so often. However, this information is meant to serve as a guide for managing risk of calving difficulty in your first-calf females. Our goal is to help you eliminate heifer calving problems to the best of our ability.

REMEMBER: Compare Brangus to Brangus – No across-breed EPD comparisons can be made! Bulls indicated by the calving ease symbol in their data block are considered to be low-risk bulls for calving difficulty. To be designated as calving ease, they have a birth weight EPD of 0.8 pounds or less (Non-Parent breed average) and an actual birth weight of no more than 79 pounds.





We work very hard to provide the most accurate performance testing program possible and you can feel confident in each piece of data reported. Accurate contemporary grouping is essential in this effort as it is the differences in animal performance within a contemporary group that is reflected in EPDs. Animals from us and our cooperator herds were obviously not raised together and cannot possibly be in the same contemporary group. Therefore, when you look at the individual performance data, a ratio of 100 (average) will not correlate to the same weight among the groups. Be sure you know which animals are in the same contemporary group to know how to compare. Better yet, ignore absolute weights and look at weight ratios and look very, very much harder at EPDs.


		v			v						
1	SR	MC	HI	CAN	I W	AR	RIC	R Z	<u> 20</u>	4	\overline{c}
_	Reg.	# R10	2292	294 <i>E</i>	Birth D	ate: 1	0/5/1	2 Ta	ttoo: Z	204	OI
A.						EP	Ds				
CE	CED	BW	ww	ΥW	Mill	k TIM	CEN	1 SC	REA	%IMF	Fat
	6.3	-0.5	33	63	21	37	5.5	1.1	0.73	0.07	0.012
·		20%			2%	3%	95%	4%	2%	25%	95%
Act		205-Da	<u></u> -	Test				5-Day			
BW	Wt		atio	ADG	WE	_	Ratio	Wt	Rati		
74	494		98	3.46		68	99	1047	100) 4.6	35.4
Curve Be		<u> </u>					<u> </u>	ound S	<u> </u>		
CBI	Quart	_	REA	_	atio <u> </u>	,	MF	Ratio		<u>Fat</u>	Ratio
139	FIR	ST	11.9	1	02	3.	.87	94		0.24	128
Sire: TC	в сата	WBA V	VARR	IOR R5	32		Base I	Price		\$2,	700
<i>мвs:</i> DD	D UC-0	GENTLI	EMAN	804S2	1					+ Grow	th
<i>маа</i> : АС	ES TF \	NRAN	GLER	145/8		ı		+ for 87% II		Js	
<i>gggs</i> : CA	DENCE	OF BF	RINKS	535D3			ирог О.	O1 /0 II	VII		
		Dam's	Proge	ny Reco	ord				Progei	ny Ultras	sound
Dam	Age #	Prog	Act B	W BW-	R W	W-R	YW-I	R RE	Α	%IMF	Fat
X012	2	1	74	99		98	100	11	.9	3.87	0.24

				_				_			_	_			
2	SR	AP	AC	Н	E١	NA	RF	RIC	OR	Z	260	6		\overline{C}	٦
	Reg. #	R10	1228	52	9 B	Birth E	Date: •	11/	15/	12 7	attoo	: Z 2	266	O	1
4							El	PDs							
CE	CED	BW	WИ	/	ΥW	Mil	k TI	VI	CEIN	1 SC	RE	Α	%IMF	Fai	t
OF	7.2	-1.1	31		59	17	33	3	8.6	0.5	0.	62	0.16	-0.00)1
,	20%	15%	20%	1	5%	15%	159	% 6	35%	45%	10	1%	10%	55%	0
Act	2	05-Da	y	I	est					-Day	Yea	rlin			
BW							WDA Rati			,,,,	Wt Ratio				
							.9		5	1092		96	5.7	7 33.	1
Curve Be										ound a					
CBI	Quartil	_	REA	_	_	<u>itio</u>	_	IMI	$\overline{}$	Rati	_	_	at	Rati	-
134	FIRS	iT	12.1		9	7	3	3.07	<u> </u>	7	7	(0.24	129	}
sire: MC	ABRAN	/IS 46	8T22					Ba	ise F	Price			\$3,7	750	
<i>мgs:</i> SR	•					3				ading + fo			g Ease s		
<i>мааs:</i> ACI	ES TF W	/RAN	GLER	14	5/8		• ()ve	r 3 %	IMF					
<i>gggs</i> : CH						_									
		Dam's -		<u> </u>				_		_			y Ultras		
$\overline{}$	Age #					_	/W-R	<u>' </u>	/W-F		EA	_	%IMF	Fa	
W465	3	2	75)	101	Ш.	100	_	99	13	3.4	_	2.86	0.2	4

3	WT	J N'	JLT	RA	WA	RR	IOF	Z 2	293		ㅜ
	Reg. :	#UB1	0228	214 <i>E</i>	Birth D	ate: 1	1/14/	12 Ta	ttoo: Z	293	ı
						EPI	Is				
	CED	BW	WW	YW	Mill		CEN	SC	REA	%IMF	Fat
	3.9	-0.3	32	59	16	32	4.7	ш	0.42	0.26	0.005
	75%	25%	20%	15%	20%	15%	>95%		30%	2%	80%
Act	2	?05-Da		Test				-Day 1	Yearlin	g	
BW	Wt	Ra	atio	ADG	WE	DA I	Ratio	Wt	Rati	o FS	SC
80	771	1	00	2.83	3	.2	100	1223	100	7.4	34.9
Curve Be	nder In	dex			Car	cass l	Ultrasc	ound S	cans		
CBI	Quarti	ile	REA	Ra	atio <u> </u>	%I I	WF	Ratio		Fat	Ratio
134	FIRS	ST	13.8	1	00	2.	48	100)	0.15	100
Sire: YO	N RIGH	IT TIM	E T342)			Base F	Price		\$3,5	500
MGS: DD	D UC-G				1	• To	TRABI p 25% iper RE	+ for	6 EPD:	S	
<i>gggs</i> : CH	ALLEN	GER O	F BRIN	IKS 99	E43	ı	ghest 2		WW		
				ıy Reco				_		y Ultras	
Dam	Age #	Prog		$\overline{}$		W-R	YW-F	_		%IMF	Fat
X083	2	1	80	100) 1	00	100	13	.8	2.48	0.15









7	SR	AP	AC	HE	WA	RR	IOR	Z 2	73	ľ	\overline{C}	
_	Reg. i	#R10	228	524	Birth D	ate: 1	1/24/	12 Ta	ttoo: Z i	273	0	
A						EPL	Is					
CE	CED	BW	ww		Mill		_	sc	REA	%IMF	Fat	
	8.7	-1.7	28	52	19	33	8.0	0.4	0.49	0.19	0.004	
·			35%		5%	10%	15%				80%	
Act		05-Da	<u></u>	Test					<i>earlin</i>	<u> </u>		
BW	Wt	_	atio	ADG	WL	$\overline{}$	Ratio	Wt	Rati			
76	561		00	2.83		63	98	1014	97	5.4	33.8	
Curve Bei							Ultraso					
CBI	Quarti	_	REA		atio	% I I	_	Ratio		Fat	Ratio	
119	FIRS	ST	12.4	_ 1	05	3.	90	129)	0.13	71	
Sire: MC	ABRAI	MS 46	8T22			Base Price \$3,000						
<i>MGS:</i> PR	ELIXIR	698L	3				ıbstant p 25%		-			
<i>MGGS:</i> ACE	S TF V	VRAN	GLER	145/8		1	p25/₀ gREA	+ 101	, LPD:	5		
<i>gggs</i> : CAI	DENCE	OF BF	RINKS	535D3	3		iper 3.	90% II	MF			
				ny Rec						y Ultras	ound	
	Age #	Prog	Act B	$\overline{}$		/W-R	YW-F	RE	Α	%IMF	Fat	
l X028 l	2	1	l 76	I 97	7 i 1	100 l	97	l 12	4 l	3.90	0.13	

	CD	AD	N O LI		MA		IOD	70	10		$\overline{}$
8	SR	AP	4 60		NA	KK	IUH	Z Z	10		CI
	Reg. #	R102	22929)7 <i>E</i>	Birth D	ate: 1 1	0/7/12	2 Ta	ttoo: Z	210	OI
4						EP	Ds				
CE	CED	BW	WW	YW	Milk			sc sc	REA	%IMF	Fat
	6.3	-0.1	36	65	15	33	6.8	0.4	0.61	0.03	-0.003
	35%			10%	25%	10%	65%				40%
Act BW	2 Wt	05-Day Rai		est DG	WD	2.4	365 Ratio	-Day \ Wt	earlii) Rati		s sc
78	526	10		.33	2.	_	101	1058	10		
Curve Bei			0 0	.აა			Ultraso		1	4.	7 20.3
CBI	Quartil		REA	Ra	tio	%[Ratio	-	Fat	Ratio
115	FIRS	T .	10.9	9)4	3.	08	75	\top	0.11	59
Sire: MC	ABRAN	/IS 468	T22				Base F	Price		\$3,	000
	WRANG	GLER V	WARRI			Pight Tool for Colving Face					
<i>gggs:</i> CAI	DENCE (OF BRI	NKS 5	35D3		• 0\	ver 3%	IMF			
			Progeny							ny Ultra:	
	Age #	Prog 1		_	_	W-R	YW-F		"	%IMF	Fat
X007	2	1	78	104	1	05	101	10	.9	3.08	0.11







10	SR	AP	AC	HE \	NA	RR	IOR	Z 2	75		\overline{C}
	Reg.	# R1 0)228	531 <i>E</i>	Birth D	ate: 1	1/27/	12 Ta	ttoo: Z	275	Ol
4						EPI	Ds				
CE	CED	BW	ww		Mill		1	SC	REA	%IMF	Fat
	6.0	0.1	31	58	19	34	6.5	0.4	0.54	0.14	-0.003
	40%	35%	20%	15%	5%	10%			15%		40%
Act		205-Da		Test			365	-Day 1			
BW	Wt	R	atio	ADG	WL	DA I	Ratio	Wt	Rati	io FS	SC
78	626	6 9	99	3.06	2.	98	98	1115	98	5.	5 32.1
Curve Be	nder In	dex			Car	cass	Ultrasc	ound S	cans		
CBI	Quart	ile	REA	Ra	ntio	% I	MF	Ratio		Fat	Ratio
110	SECC	DND	13.6	1 1	10	4.	05	101		0.15	81
Sire: MC	ABRA	MS 46	8T22				Base F	Price		\$3,	250
<i>MGS:</i> AC	ES TF V	VRAN	GLER	145/8			alving E p 25%				
<i>мggs:</i> SR	TATAN	KA W	ARRIO	R P425	i		iper RE			_	
<i>gggs</i> : CA	DENCE	OF BF	RINKS	535D3		• Fa	ıntastic	4.05%	6 IMF		
		Dam's	Proge	ny Reco	rd				Progei	ny Ultra	sound
Dam	Age #	Prog	Act B	BW BW-	R W	/W-R	YW-F	RE	Α	%IMF	Fat
W426	3	2	78	105	5 1	01	96	13	.4	2.98	0.15




40	SR	SIC)U)	X W	ΔRI	RIO	R 7	230)	ľ	
12				305						230	S
4						EPL	s				
CE	CED	BW	ww	YW	Mill	k TM	CEIV	1 SC	REA	%IMF	Fat
	10.5	-3.7	23	47	13	25	8.0	0.7	0.11	0.01	0.005
	2%	1%	55%		40%	45%		25%		45%	80%
Act		205-Da	<u> </u>	Test				-Day Y		<u> </u>	
BW	Wt		atio	ADG	WL		Ratio	Wt	Rati		
60	525		03	3.51		-	104	1086	104	5.9	9 29.5
Curve Be			054					ound S			D . (*)
CBI	Quarti	_	REA		atio	<i>%II</i>	-	Ratio		<u>Fat</u>	Ratio
109	SEC0	טאון	10.8	(90	2.7		82		0.29	124
Sire: SR	CADEN	ICE W	ARRI	OR S70	2		Base F	Price		\$3,2	250
<i>MGS</i> : PR	ELIXIR	6981	3			• Be	t-The-	Ranch	Calvir	ig Ease	
			-	, ,		• Ba	lanced	l Genet	ic Pac	kage	
<i>MGGS</i> : CC	K INTE	iKIIY	589K	.4		• To	p 1% 1	for BW	EPD		
<i>agas</i> : CC	r path	FINDE	R 9B	4							
		Dam's	Proge	eny Rece	ord				Progen	y Ultras	sound
Dam	Age #	Prog	Act E	BW BW	-R W	/W-R	YW-F	RE.	Α	%IMF	Fat
U569	4	3	61	90	۱ –	99	101	10.	$_{\circ}$ T	2.72	0.29







15	H+	TA	LLU	JLA	ΗV	VA	RRI	OR	Z 20)1	+H
	Reg. #	UB1	0229	034	Birth D	ate: 1	0/2/1	2 Ta	ttoo: Z	201	
¥.						EF	PDs				
CE	CED	BW	WW	ΥW	Mill	k TI	VI CEI	v sc	REA	%IMF	Fat
0.5	5.7	0.1	27	54	17	30	7.0		0.40	0.12	-0.006
,	45%	35%	35%	25%	15%	20%	60%		30%	15%	25%
Act		05-Da		Test				5-Day			
BW	Wt			ADG	WL	DA .	Ratio	Wt	Rati	o FS	
78	485	9	5	3.21	2.	67	93	999	96	4.6	30.8
Curve Be							Ultras		· · ·		
CBI	Quartil	_	REA		atio	%	IMF	Ratio	, .	<u>Fat</u>	Ratio
100	SEC0	ND	12.6	1	05_	2	2.27	68		0.07	30
Sire: SS	MR 003	30F T(DTAL				Base .	Price		\$3,0	000
<i>MGS:</i> PV	V OSCAF	R 120/	3				JLTRAE rusted		ı Ease		
MGGS: LE	AD GUN	OF B	RINKS	222K	14		op 25%		,	S	
<i>gggs:</i> BR							Big REA				
			Progei						<u> </u>	y Ultras	
Dam	Age #			1	$\overline{}$	W-R	_			%IMF	Fat
535U1	4	2	74	10	/	95	96	12	.6	2.27	0.07


16	W1	IN V	NIL	LIE	Z 2	96					.	〒
	Reg.	# R10	12282	217 <i>E</i>	Birth D	ate: 1	1/24/	12 7	attoo: T	Z296	7	ı
Æ						EP	Ds					
CE	CED	BW	ww	ΥW	Mill	k TIV	I CEN	1 SC	REA	%IN	1F	Fat
O.E	8.5	-1.8	22	44	15	27	7.1	1.0	0.35	0.0	1	0.000
,	10%	10%	60%	50%	25%	35%	55%	10%	40%	459	6	60%
Act	2	205-Da	y	Test			36	5-Day	Yearli	ng		
BW	Wt	R	atio	ADG	WL	DA _	Ratio	Wt	Rai	tio .	FS	SC
78	634	1 1	01	2.46	2.	81	95	1027	' 9	6 5	5.7	35.0
Curve Be	nder In	dex			Car	cass	Ultras	ound S	Scans			
CBI	Quart	ile	REA	Ra	atio	%l	MF	Ratio	9	Fat		Ratio
99	SECO	DND	12.8	(99	2.	.58	11	1	0.15		115
Sire: W7	T UPPE	RCUT	WARE	IOR U	343		Base I	Price		\$	2,70	00
	ES TF \						ubstan alanced				h	
<i>масs:</i> СА	DENCE	OF B	RINKS	535D3	3	• Bi	ig REA					
<i>gggs</i> : SC	отсн (CAP OF	BRIN	IKS 544	1B		-					
			_ <u> </u>	ny Reco						eny Ult		
Dam		Prog	_	W BW		W-R	YW-I		EA T	%IN	_	Fat
R505	8	7	82	93		97	97	12	2.4	3.0	5	0.19




18	SR	AP	AC	HE \	WA	RR	OR	Z 2	52		\overline{C}
	Reg. i	#R10	1228	5 20 <i>l</i>	Birth D	ate: 1()/28/1	12 Tai	too: Z 2	252	O
						EPL)s				
	CED	BW	ww		Milk			SC		%IMF	Fat
	-2.1	1.5	38	67	18	37	2.3	0.3	0.58	0.14	-0.005
			10%		10%	3%		65%			30%
Act		05-Da	<u></u>	Test				-Day Y			
BW	Wt	_	atio	ADG	WD		Ratio	Wt	Ratio		SC
92	677		00	3.3	3.			1205	100	5.3	31.2
Curve Bei							Iltraso				
CBI	Quarti	_	REA		atio	%II	-	Ratio		at	Ratio
95	SEC0	ND	12.6	_ 1	00	2.9	90	100) (0.12	100
Sire: MC	ABRAN	MS 46	8T22				Base P	rice		\$3,2	50
<i>MGS</i> : SR	WRAN	GLER	WAR	RIOR T	113	• Po	wer Ho	ouse P	erform	nance	
						• To	p 25%	+ for (6 EPDs	3	
<i>масs:</i> САІ	DENCE	OF B	KINKS	535D3	3	• To	p 5% f	or YW	EPD		
gggs: TYS	SON OF	BRIN	KS LE	302Y6	2	• Biç	REA				
		Dam's	Proge	ny Reco	ord			1	Progen	y Ultras	ound
Dam	Age #	Prog	Act B	W BW	-R W	W-R	YW-R	RE	Α	%IMF	Fat
X026	2	1	92	111	5 l 1	00	100	12.	6 T	2.90	0.12










22	SR	AP	AC	HE	WA	RR	IOR	Z 2	71		<u>C</u>
	Reg.	# R10)228	582	Birth D)ate: 1	1/19/ ⁻	12 Tai	ttoo: Z	271	Ol
						EP	Ds				
	CED	BW	WИ	1					REA	%IMF	1
	3.9	1.0	35	64	20	38	6.1	0.5	0.60		-0.002
		55%			3%	3%			10%		50%
Act		205-Da	_	Test	100	2.4		-Day Y			
BW	Wi		atio	ADG	WI		Ratio	Wt	Rati		
98	628		06	2.78		93	98	1073	99	5.8	3 32.3
Curve Be		<u> </u>	REA				Ultraso			Fed	Detie
CBI	Quart	_			atio 1 1		MF FO	Ratio	-	<u>Fat</u>	Ratio
90	SEC	עווע	13.3		14		59	86		0.20	115
Sire: MC	: ABRA	MS 46	8T22				Base F	Price		\$2,2	200
MGS: AC	ES TF \	NRAN	GLER	145/8		1	erforma		_		
04		0F D	DIMIZ	C ESED	0		p 25%		6 EPD	S	
<i>масs:</i> СА	DEINCE	OF B	KINK	S 535D	3	• SI	uper RI	ΞA			
<i>gggs:</i> SR	CHER	OKEE (OUTL	AW E50)4						
		Dam's	Prog	eny Rec	ord				Proge	ny Ultras	sound
Dam	Age #	Prog	Act	BW BN	/-R W	/W-R	YW-F	RE.	Ά	%IMF	Fat
U820	5	5	84	11	1 1	106	99	13.	.3	2.59	0.20





24	SR	MC	DO	C W	/AF	RRI	OR	Z 28	33		\overline{C}
	Reg. i	#R10	2285	36 <i>E</i>	Birth D	ate: 1 2	2/28/ ⁻	12 Ta	ttoo: Z	283	O
						EPL					
	CED	BW	ww	YW	Milk				REA	%IMF	Fat
	-1.3	3.0	38	64	20	39	4.2	0.6	0.45	0.00	0.008
			10%		3%	2%	95%	35%	25%	50%	90%
Act		05-Da		Test				-Day		<u> </u>	
BW	Wt	Ra	atio	ADG	WD	A I	Ratio	Wt	Rati	o FS	SC
96	616	(8	3.13	3.0	04	100	1117	98	6.2	33.3
Curve Be	nder Ind	dex			Car	cass l	Ultrasc	ound S	cans		
CBI	Quarti	le	REA	Ra	atio	% II	ИF	Ratio		Fat	Ratio
90	SEC0	ND	11.8	9	95	4.	91	123	3	0.19	102
Sire: SR	MOHIC	AN W	ARRIC	OR X00	4		Base F	Price		\$2,2	200
MGS: AC	ES TF V	/R A NI	SLEB .	1/15/2		• Pc	sitive	Growtl	า Prod	uction	
						• To	25% -	+ for 5	EPDs		
<i>мggs:</i> СА	DENCE	OF BI	RINKS	535D3	}	• Fa	ntastic	4.91%	6 IMF		
<i>gggs:</i> SR	CHERC	KEE (UTLA	W E50	4						
				ny Reco						y Ultras	ound
Dam	Age #			W BW		W-R	YW-F	RE	Α	%IMF	Fat
W424	3	2	83	1116	3 1	01	102	l 11	.8 l	4.91	0.19















30	H+	ME	DIC	CINI	E M	AN	Z 2	15			H+
	Reg. #	#R10	12290)38 <i>i</i>	Birth D	ate: 10)/20/ ⁻	12 Ta	ttoo: Z	215	
						EPD					
	CED	BW	WW	YW	Mill			SC	REA	%IMF	
	5.4	-0.1	26	46	16	29	7.2	0.1	0.12	0.11	0.007
			40%		20%	25%		85%			90%
Act		05-Da	<u></u>	Test				-Day			
BW	Wt	_	atio	ADG	WE		Ratio	Wt	Rati		
82	547		07	3.21		-	101	1061	102	2 6.	0 32.8
Curve Bei								ound S			
CBI	Quarti	$\overline{}$	REA		atio <u> </u>	%II	<u>IF</u>	Ratio	_	<u>Fat</u>	Ratio
80	SEC0	ND	10.9		92	4.6	66	140)	0.33	141
Sire: PR	ELIXIR	698L	3			L	Base F	Price		\$2,	700
mgs: BUI	RTIN'S ES TF W				03G3	• Da	ughte	Geners Will	Milk	Ü	
<i>gggs:</i> CAI	DENCE	OF BF	RINKS	535D3							
		Dam's	Proge	ny Rec	ord				Progei	ıy Ultra	sound
Dam	Age #	Prog	Act B	W BW	-R W	W-R	YW-F	RE	Α	%IMF	Fat
R525	8	7	82	10	9 1	03	98	12	.1	3.86	0.27









2014 Spitzer Ranch Bull Sale - Profitable Genetics from Performance Cattlemen

BEEF CATTLE HERD HEALTH

We and our cooperators take very seriously our commitment to provide you with a healthy animal and to minimize the risk of introducing disease into your cow herd. The following chart depicts our comprehensive, intensive and proactive approach to disease control. It indicates when we administer vaccines, vitamins, parasite control and all testing procedures. Our cooperators follow an identical protocol. We are *Tuberculosis Accredited* {Spitzer Ranch #58348, Taylor #200615T and Hunt's #381} and *Brucellosis Certified* {Spitzer Ranch #2226, Taylor #200615B and Hunt's #381}. Spitzer Ranch and Will Taylor have been testing for Johne's Disease since 1999; first achieved Johne's

Disease Surveillance Program Level 4 in 2003; and advanced to be designated as *Johne's Disease Test-Negative Level 6 Herds* under the new program. The Hunt family has been testing for Johne's Disease by fecal culture since 2010 with all cows testing negative each time and they are working towards designation as a Test-Negative Herd. Additionally, every bull in the sale as well as their sisters back home have been "ear notched" and guaranteed to be *Negative for PI-BVD* by IDEXX Antigen Capture Elisa (ACE).

Health Papers (Certificate of Veterinary Inspection) will be provided at no charge to buyers in order to allow shipment to Anywhere, USA.

Herd Health Protocol - Spitzer Ranch Calving Season OCT THRU DEC										
	HEALTH	CALENDAR FO	OR ALL C	ALVES						
Calf Working @ 2-3	Clostridial Diseases	IBR-PI3-BVD-BRSV	Leptospirosis							
months of age	Ultrabac 7	Pyramid	10							
Pre-Weaning @ 4 weeks	Clostridial Diseases	IBR-PI3-BVD-BRSV	Leptospirosis	Other	Tests					
before weaning	Ultrabac 7	Bovishield Gold	d FP5L5	Vitamin A+D	Ear Notch PI-BVD					
Weaning @ 7-8	Clostridial Diseases	IBR-PI3-BVD-BRSV	Leptospirosis	Other	Brucellosis					
months of age	Ultrabac 7	Pyramid	10	Eprinex	RB 51 (Heifers Only)					
W				Other						
Weaning + 56 days				Panacur						
Waaning 112 dam				Other						
Weaning + 112 days				Eprinex						
	Campylobacteriosis	IBR-PI3-BVD-BRSV	Leptospirosis	Other						
Yearling	Vibrin	Bovishield Gold	d FP5L5	Eprinex						
				Vitamin A+D						
	HEALT	H CALENDAR I	OR ALL (COWS						
Pre-Breeding				Other						
1 re-breeding				Vitamin A+D						
	Campylobacteriosis	IBR-PI3-BVD-BRSV		Other	Tests					
Pregnancy Examination	Vibrin	Bovishield Gold	d FP5L5	Eprinex	*Brucellosis					
Mid-Summer					*Tuberculosis					
Min-Suillilei					*Johne's Disease					
		* All Testing as Req	juired and De	fined by Federa	l and State Regulations					



John & Patricia Spitzer

1511 Hwy 59 • Fair Play, SC 29643 864/972-9140 spitzeranch@mindspring.com



Brangus Seedstock Producer

Profitable Genetics from Performance Cattlemen

S Spitzer Ranch

Professional Cattlemen's Performance-Tested Brangus Bull Sale and Customer Brangus Gold Commercial Female Sale

> Saturday, February 22, 2014 1:00 EST pm • At the Ranch • Fair Play, SC

Exit North off I-85 at Exit 2, Go North on SC Hwy 59 for 2 miles and look for our ranch sign on your left.