



# Spitzer Ranch



## Professional Cattlemen's Brangus Bull Sale

### Saturday, February 26, 2011

### 1:00 pm • Fair Play, SC

*Dear Friends and Customers,*

*We are appreciative of your interest in the Spitzer Ranch breeding program. We feel blessed to have been Registered Brangus Seedstock Producers since 1982. All that time consistently breeding commercially oriented Brangus Bulls to fill the needs of the profit-minded Professional Cattleman. We are indeed honored to be holding our 18th annual sale and presenting this year's Bull Sale offering for your approval. Our program is built around providing half, three-quarter and even full-brother sire lines to increase the genetic consistency from the sire side.*

*The entire Spitzer Ranch program has always been structured around the disciplined breeding strategy of using only proven, high accuracy A.I. sires with only their best sons used following A.I. For over a quarter century, we have produced practical cattle, ignoring fads, fancies and the "popular bull" of the day. Instead, we have had a steadfast adherence to the commercial cattleman's demand for profit driven cattle. We totally embrace a philosophy grounded in the twin thoughts of objective selection of cattle for economically relevant traits that enhance profitability; and a total orientation to the needs of the commercial beef industry. Increasingly often we are generating bulls that also grab the attention of other Registered Brangus Breeders.*

*Thanks again for your interest and attention; and please come to our sale. You will find a super group of honest, solid bulls with the proven reliable genetics to put pounds on the ground and dollars in your pocket.*

*Sincerely,*

*Doc and Patricia*



# Professional Cattlemen's Brangus Bull Sale

## Saturday, February 26, 2011

ANNOUNCEMENTS MADE ON SALE DAY TAKE PRECEDENCE OVER ALL PREVIOUSLY REPORTED INFORMATION

### SALE DAY SCHEDULE

8:00 AM .....Animals on Display  
Noon .....Complimentary Meal  
1:00 PM .....Sale Begins

### SALE DAY PHONES

Home Office .....864/972-9140  
John Spitzer .....864/710-0257  
Patricia Spitzer.....864/710-4475

### TELO-AUCTION AVAILABLE

**NOTE: For any telephone bidding you must contact us in advance to register a bid number.**

If you will not be able to attend the sale, you will still be able to bid by way of a conference call hookup on sale day. Buyers interested in this option should call the Spitzers prior to sale day to obtain your unique bid number with which to do your bidding. Beginning at 1:00 PM on sale day, potential bidders should call 540/674-1894 to join the conference call live from the sale. The only cost to you will be your long distance telephone charges incurred calling 540/674-1894 to be on the conference call hookup during the sale.

### CLAIMS FOR ADJUSTMENTS

Claims for adjustment must be made in writing to the seller within 6 (six) months of the sale date. All settlements will be made with credit at a future sale and this will, in any and all cases, be deemed full satisfaction and settlement.

### LIABILITY

All persons attending this sale do so at their own risk. Neither Spitzer Ranch nor anyone connected with management of the sale assume liability, legally or otherwise, for safety of buildings or premises, or for behavior of animals.

### DELIVERY SERVICE

While hauling is typically a responsibility of the buyer, Spitzer Ranch continues the following policies. FREE HAULING anywhere on bull purchases of \$10,000 (one or several). FREE HAULING on bulls or females (pending space available) back to our Partners for Quality Cooperator herds. Additionally, we guarantee a maximum hauling cost of \$200 per bull within the states of GA, NC and SC if arrangements are made with us prior to the sale. Outside of this area we will get your bull delivered as economically as possible. Hauling cost for females is totally the responsibility of the buyer, but we will try to help wherever we have a trailer headed.

### FREE HAULING ON BULLS TO:


Georgia: .....Michael Hunt, Calhoun, GA  
South Carolina: .....G. K. DuBose, Rembert, SC  
Will Taylor, Honea Path, SC

### SALE MOTEL

**Jameson Inn-Seneca**  
226 Hitec Rd. Seneca, SC 29678 .....864/888-8300  
Spitzer Ranch Rate of \$70 + Tax

### DIRECTIONS TO SPITZER RANCH

Exit North off I-85 at Exit 2, Go North on SC Hwy 59 for 2 miles and look for our ranch sign on your left.



2011 Spitzer Ranch Bull Sale – Profitable Genetics from Performance Cattleman



Bulls designated with the “Calving-ease Flag” are felt to be Low-Risk Bulls for calving difficulty and are suitable for use on first-calf females.

1. Birth weight EPD – predicts calf size and calving ease.
2. Weaning weight EPD – predicts preweaning growth potential.
3. Yearling weight EPD – predicts overall growth potential and post-weaning gain.
4. Milk EPD – predicts the maternal contribution a bull passes to his daughters for milk production and mothering ability.
5. Total maternal EPD – predicts the overall weaning weight of calves from daughters of a bull due to growth potential as well as milk production and mothering ability.
6. Scrotal circumference EPD – predicts testicle size.
7. Ribeye area EPD – predicts muscling.
8. Percent intramuscular fat EPD – predicts marbling and quality grade.
9. Fat EPD – predicts external fat thickness and yield grade.
10. To make it easier to evaluate EPDs, the percentile ranking is shown below each individual EPD. This is a great way to understand where the individual ranks in the breed for that particular EPD. For example, where it shows “10%,” this means that particular EPD value is in the highest, or TOP 10%, of all non-parent bulls in the entire breed. (A 10% for BW, however, means lowest, or lightest.)
11. Actual birth weight within 24 hours of birth.
12. Weaning weight adjusted to 205 days of age and for age of dam.
13. Ranking of individual 205-day adjusted weaning weight in relation to average adjusted weaning weight of weaning contemporary group of this calf. The contemporary group has an average ratio of 100.
14. Average daily gain (pounds per day) during Spitzer Ranch’s 168-day performance growth test.
15. Lifetime weight per day of age (actual weight divided by days of age) at the end of Spitzer Ranch’s 168-day performance growth test.
16. Ranking of individual WDA in relation to average WDA of the entire test group, which has an average ratio of 100.
17. Yearling weight adjusted to 365 days of age and for age of dam.
18. Ranking of individual adjusted 365-day yearling weight in relation to the average adjusted yearling weight of yearling contemporary group. The contemporary group has an average ratio of 100.
19. Yearling frame score adjusted to 365-days of age.
20. Yearling scrotal circumference (testicle size measured in centimeters) adjusted to 365-days of age.
21. Curve Bender Index (CBI). Our exclusive INDEX which combines values for low birth weight EPD and high yearling weight EPD into one value. This Index has a highest achievable numeric value of 148 and goes down from there. Bulls with a higher numeric value for CBI would be expected to sire calves with lighter birth weights and yet heavier weaning and yearling weights. Please see [www.srbulls.com](http://www.srbulls.com) for a more complete discussion of the CBI or call for a printed version.
22. CBI Quartile Rank. The CBI as described above and is ranked as First, Second, Third or Fourth Quartile. There is probably very little difference among bulls within the same Quartile Rank for CBI. There are greater differences among bulls in different Quartile Rank for CBI.
23. Ultrasound measurement of rib eye area, which is indicative of muscling and positively correlated with retail beef.
24. Ranking of individual adjusted 365-day rib eye area in relation to the average adjusted rib eye area of the yearling contemporary group. The contemporary group has an average ratio of 100.
25. Ultrasound measurement of percent intramuscular fat or marbling in the ribeye muscle which is a predictor of quality grade.

LOT #	ANIMAL NAME										Ownership Brand
	Registration #		Birth Date			Tattoo					
CE	<b>EPDs</b>										
	<i>BW</i>	<i>WW</i>	<i>YW</i>	<i>Milk</i>	<i>TM</i>	<i>SC</i>	<i>REA</i>	<i>%IMF</i>	<i>Fat</i>		
	1	2	3	4	5	6	7	8	9		
	10	10	10	10	10	10	10	10	10		
	<b>Act</b>		<b>205-Day</b>			<b>Test</b>		<b>365-Day Yearling</b>			
	<i>BW</i>	<i>Wt</i>	<i>Ratio</i>	<i>ADG</i>	<i>WDA</i>	<i>Ratio</i>	<i>Wt</i>	<i>Ratio</i>	<i>FS</i>	<i>SC</i>	
	11	12	13	14	15	16	17	18	19	20	
	<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>					
	<i>CBI</i>	<i>Quartile</i>	<i>REA</i>	<i>Ratio</i>	<i>%IMF</i>	<i>Ratio</i>	<i>Fat</i>	<i>Ratio</i>			
	21	22	23	24	25	26	27	28			
	<b>Sire: SIRE</b>						<b>Base Price</b>				
	<b>MGS: MATERNAL GRANDSIRE</b>						<b>Comments</b>				
	<b>MGGs: MATERNAL GREAT GRANDSIRE</b>										
	<b>GGGs: MAT. GREAT, GREAT GRANDSIRE</b>										
	<b>Dam's Progeny Record</b>					<b>Dam's Progeny Ultrasound</b>					
	<i>Dam</i>	<i>Age</i>	<i># Prog</i>	<i>Act BW</i>	<i>BW-R</i>	<i>WW-R</i>	<i>YW-R</i>	<i>REA</i>	<i>%IMF</i>	<i>Fat</i>	
	29	30	31	32	33	34	35	36	37	38	

26. Ranking of individual adjusted 365-day percent intramuscular fat in relation to the average adjusted percent intramuscular fat of the yearling contemporary group. The contemporary group has an average ratio of 100.
27. Ultrasound measurement of fat thickness at the 12th rib, which is a good indicator of yield grade.
28. Ranking of individual adjusted fat thickness at the 12th rib in relation to the average adjusted fat thickness at the 12th rib of the yearling contemporary group. The contemporary group has an average ratio of 100.
29. The tattoo or private herd number (PHN) of the dam of this calf.
30. Age of dam at time of birth of this calf.
31. Number of calves born to dam
32. Average actual birth weight of dam's progeny.
33. Average birth weight ratio of dam's progeny compared within contemporary groups.
34. Average weaning weight ratio of dam's progeny compared within contemporary groups.
35. Average yearling weight ratio of dam's progeny compared within contemporary groups.
36. Average ultrasound ribeye area of dam's bull calves.
37. Average ultrasound % intermuscular fat of dam's bull calves.
38. Average ultrasound fat thickness of dam's bull calves.

**NOTE:** All ultrasound scans (23-28 and 36-38) are adjusted to 365 days of age.

**For your convenience, non-parent breed average EPDs are on each page.**

	BW	WW	YW	MILK	TM	SC	REA	%IMF	FT
<b>EPDS</b>	0.5	21.8	39.7	7.7	18.6	0.70	0.35	0.024	-0.001

*We work very hard to provide the most accurate performance testing program possible and you can feel confident in each piece of data reported. Accurate contemporary grouping is essential in this effort as it is the differences in animal performance within a contemporary group that is reflected in EPDs. Animals from us and our cooperator herds were obviously not raised together and cannot possibly be in the same contemporary group. Therefore, when you look at the individual performance data, a ratio of 100 (average) will not correlate to the same weight among the groups. Be sure you know which animals are in the same contemporary group to know how to compare. Better yet, ignore absolute weights and look at weight ratios and look very, very much harder at EPDs.*

<b>1</b>	<b>SR MEDICINE MAN W415</b>										<b>S</b>
	Reg. # <b>R10153627</b> Birth Date: <b>11/19/09</b> Tattoo: <b>W415</b>										
<b>EPDs</b>											
	<b>BW</b>	<b>WW</b>	<b>YW</b>	<b>Milk</b>	<b>TM</b>	<b>SC</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
	-0.8	29	54	20	34	0.3	0.41	0.19	0.013		
	20%	20%	20%	2%	2%	85%	40%	5%	95%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>		<b>365-Day Yearling</b>					
<b>BW</b>	<b>Wt</b>	<b>Ratio</b>	<b>ADG</b>	<b>WDA</b>	<b>Ratio</b>	<b>Wt</b>	<b>Ratio</b>	<b>FS</b>	<b>SC</b>		
84	632	109	3.05	3.03	106	1120	108	5.7	32.0		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
<b>CBI</b>	<b>Quartile</b>	<b>REA</b>	<b>Ratio</b>	<b>%IMF</b>	<b>Ratio</b>	<b>Fat</b>	<b>Ratio</b>				
129	FIRST	13.70	105	3.54	105	0.35	200				
<b>Sire:</b> PR ELIXIR 698L3						<b>Base Price</b> \$2,900					
<b>MGS:</b> BURTIN'S TRANSFORMER 803G3						<ul style="list-style-type: none"> <li>• Herd Sire Prospect</li> <li>• May be most complete bull we have ever offered!</li> </ul>					
<b>MGS:</b> ACES TF WRANGLER 145/8											
<b>GGGS:</b> CADENCE OF BRINKS 535D3											
<b>Dam's Progeny Record</b>											
<b>Dam</b>	<b>Age</b>	<b># Prog</b>	<b>Act BW</b>	<b>BW-R</b>	<b>WW-R</b>	<b>YW-R</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
S610	4	3	71	91	100	100	13.7	3.54	0.35		

<b>2</b>	<b>SR MOHICAN WARRIOR W533</b>										<b>S</b>
	Reg. # <b>R10153664</b> Birth Date: <b>9/29/09</b> Tattoo: <b>W533</b>										
<b>EPDs</b>											
	<b>BW</b>	<b>WW</b>	<b>YW</b>	<b>Milk</b>	<b>TM</b>	<b>SC</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
	2.9	38	74	18	37	1.0	0.64	-0.16	0.005		
	95%	4%	1%	3%	1%	20%	10%	95%	85%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>		<b>365-Day Yearling</b>					
<b>BW</b>	<b>Wt</b>	<b>Ratio</b>	<b>ADG</b>	<b>WDA</b>	<b>Ratio</b>	<b>Wt</b>	<b>Ratio</b>	<b>FS</b>	<b>SC</b>		
100	526	106	3.26	2.83	111	1047	114	5.9	35.2		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
<b>CBI</b>	<b>Quartile</b>	<b>REA</b>	<b>Ratio</b>	<b>%IMF</b>	<b>Ratio</b>	<b>Fat</b>	<b>Ratio</b>				
99	SECOND	13.35	114	2.14	61	0.14	78				
<b>Sire:</b> TCB CATAWBA WARRIOR R532						<b>Base Price</b> \$2,900					
<b>MGS:</b> CCR THUNDER 3241M7						<ul style="list-style-type: none"> <li>• Great Herd Sire</li> <li>• Powerful Growth plus Muscle</li> <li>• Highest WW&amp;YW EPDs</li> </ul>					
<b>MGS:</b> CCR INTEGRITY 589K4											
<b>GGGS:</b> CCR SLEEP EASY 38H											
<b>Dam's Progeny Record</b>											
<b>Dam</b>	<b>Age</b>	<b># Prog</b>	<b>Act BW</b>	<b>BW-R</b>	<b>WW-R</b>	<b>YW-R</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
334S2	3	2	86	117	106	109	13.4	2.14	0.14		

<b>3</b>	<b>SR WRANGLER WARRIOR W418</b>										<b>S</b>
	Reg. # <b>R10153630</b> Birth Date: <b>11/20/09</b> Tattoo: <b>W418</b>										
<b>EPDs</b>											
	<b>BW</b>	<b>WW</b>	<b>YW</b>	<b>Milk</b>	<b>TM</b>	<b>SC</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
	-0.4	27	49	24	37	0.7	0.31	0.21	-0.004		
	25%	30%	25%	1%	1%	45%	60%	3%	30%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>		<b>365-Day Yearling</b>					
<b>BW</b>	<b>Wt</b>	<b>Ratio</b>	<b>ADG</b>	<b>WDA</b>	<b>Ratio</b>	<b>Wt</b>	<b>Ratio</b>	<b>FS</b>	<b>SC</b>		
84	608	105	2.64	2.78	97	1030	99	6.5	34.5		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
<b>CBI</b>	<b>Quartile</b>	<b>REA</b>	<b>Ratio</b>	<b>%IMF</b>	<b>Ratio</b>	<b>Fat</b>	<b>Ratio</b>				
124	FIRST	12.42	95	4.49	134	0.16	91				
<b>Sire:</b> ACES TF WRANGLER 145/8						<b>Base Price</b> \$2,400					
<b>MGS:</b> CADENCE OF BRINKS 535D3						<ul style="list-style-type: none"> <li>• Highest %IMF EPD</li> <li>• Super 4.49% IMF Scan</li> <li>• Maternal Excellence</li> </ul>					
<b>MGS:</b> UPDATE OF BRINKS 71Y2											
<b>GGGS:</b> GKD ODIN S110											
<b>Dam's Progeny Record</b>											
<b>Dam</b>	<b>Age</b>	<b># Prog</b>	<b>Act BW</b>	<b>BW-R</b>	<b>WW-R</b>	<b>YW-R</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
G709	13	11	87	101	105	104	12.9	3.59	0.23		

<b>4</b>	<b>WTN ULTRA WARRIOR W464</b>										<b>T</b>
	Reg. # <b>UB10168142</b> Birth Date: <b>11/29/09</b> Tattoo: <b>W464</b>										
<b>EPDs</b>											
	<b>BW</b>	<b>WW</b>	<b>YW</b>	<b>Milk</b>	<b>TM</b>	<b>SC</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
	-0.2	38	68	25	44	NA	0.25	0.20	0.009		
	30%	4%	3%	1%	1%	NA	75%	4%	95%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>		<b>365-Day Yearling</b>					
<b>BW</b>	<b>Wt</b>	<b>Ratio</b>	<b>ADG</b>	<b>WDA</b>	<b>Ratio</b>	<b>Wt</b>	<b>Ratio</b>	<b>FS</b>	<b>SC</b>		
97	758	106	3.09	3.42	120	1252	108	6.6	33.1		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
<b>CBI</b>	<b>Quartile</b>	<b>REA</b>	<b>Ratio</b>	<b>%IMF</b>	<b>Ratio</b>	<b>Fat</b>	<b>Ratio</b>				
122	FIRST	13.32	95	5.88	120	0.21	98				
<b>Sire:</b> YON NEW DESIGN N130						<b>Base Price</b> \$2,400					
<b>MGS:</b> ACES TF WRANGLER 145/8						<ul style="list-style-type: none"> <li>• ULTRABLACK</li> <li>• Highest IMF Scan</li> <li>• Highest Milk&amp;TM EPDs</li> </ul>					
<b>MGS:</b> CADENCE OF BRINKS 535D3											
<b>GGGS:</b> WB ALAMO 15B9											
<b>Dam's Progeny Record</b>											
<b>Dam</b>	<b>Age</b>	<b># Prog</b>	<b>Act BW</b>	<b>BW-R</b>	<b>WW-R</b>	<b>YW-R</b>	<b>REA</b>	<b>%IMF</b>	<b>Fat</b>		
P103	6	4	98	107	111	105	13.0	4.90	0.27		

**RESERVE SALE POLICY**

Pretty well everyone has a floor price under their bulls at auction. You know the game; a lot of bulls get bid off to the same number or the same name and no bull sells below a certain price. We believe that's pretty devious. We don't like playing games and would just as soon tell you our minimum price up front in an honest and straightforward manner. We have a reserve "Base Price" on each bull selling in this sale.

Each bull will be started at the listed base price. If you are willing to bid the base price do so before the bull leaves the ring. Once that individual leaves the ring, he is still available for sale, but the price will then be \$100 over the base price. In fact, any bull not sold on sale day will be available through March 25, 2011 from our private treaty pens. But, no bull sold after sale day will ever be lower than the reserve base price plus \$100.

**RETAINED INTEREST BULLS**

Spitzer Ranch (and/or our cooperators) reserves the right to retain a 50% revenue sharing semen interest on any bull sold. Bulls are in your possession and under your control for natural service and you get 100% of the salvage value. We will continue to own half interest in bulls for the purpose of collecting and marketing semen, as well as using semen in our herds. While it is unlikely large amounts of semen will be collected or sold for many bulls, we need that as an option of bulls sold. As a buyer and at your option, you can also have a 50% revenue sharing semen interest and participate in revenue from semen sales. We have developed a Bull Partnership Agreement spelling out further details. Buying a retained-interest bull obligates you to that agreement only for semen collection and sales. To avoid any misunderstandings, or if you have any questions at all, please ask. If you chose not to be involved with semen sales, we still reserve the right to collect and market semen on any retained interest bull.

	<b>BW</b>	<b>WW</b>	<b>YW</b>	<b>MILK</b>	<b>TM</b>	<b>SC</b>	<b>REA</b>	<b>%IMF</b>	<b>FT</b>
<b>EPDS</b>	0.5	21.8	39.7	7.7	18.6	0.70	0.35	0.024	-0.001

**HERD HEALTH PROGRAM**

We are Tuberculosis Accredited (Spitzer Ranch No. 58348 and Will Taylor No. 200615T) and Brucellosis Certified (Spitzer Ranch No. 2226 and Will Taylor No. 200615B); as well as being Johne's Surveillance Program Level 6 with 12 years of negative tests. Additionally every bull in the sale as well as their sisters back home have been "ear notched" and are guaranteed to be negative for PI-BVD by an accredited laboratory.

Cattle are on an intensive and comprehensive health, vaccination and internal and external parasite control program that will be provided on request.

Health papers will be provided at no charge to buyers to allow shipment to anywhere, USA.

<b>5</b>	<b>SR WRANGLER WARRIOR W423</b>									S	
	Reg. # <b>R10153635</b> Birth Date: <b>11/23/09</b> Tattoo: <b>W423</b>										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-1.1	25	47	24	37	0.5	0.45	0.13	-0.003		
	15%	35%	30%	1%	1%	65%	35%	15%	40%		
	<b>Act</b>	<b>205-Day</b>		<b>Test</b>		<b>365-Day Yearling</b>					
	BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS		SC
	82	616	107	2.48	2.76	97	1012	97	6.3		31.4
	<b>Curve Bender Index</b>				<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
119	FIRST	12.35	95	3.92	117	0.15	86				
Sire: ACES TF WRANGLER 145/8						<b>Base Price</b> \$2,400					
MGS: CADENCE OF BRINKS 535D3						• Super Balance					
MGS: SR CHEROKEE OUTLAW E504						• Top 1% Milk&TM EPDs					
GGGS: UPDATE OF BRINKS 71Y2						• Top 15% IMF EPD					
<b>Dam's Progeny Record</b>									<b>Progeny Ultrasound</b>		
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
P413	6	5	69	102	106	105	13.4	3.55	0.18		

<b>6</b>	<b>SR LAKOTA WARRIOR W438</b>									S	
	Reg. # <b>AX10153650</b> Birth Date: <b>12/13/09</b> Tattoo: <b>W438</b>										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-0.6	20	47	17	27	0.0	0.67	0.02	-0.002		
	20%	60%	30%	4%	15%	95%	10%	50%	45%		
	<b>Act</b>	<b>205-Day</b>		<b>Test</b>		<b>365-Day Yearling</b>					
	BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS		SC
	90	598	103	2.97	2.87	101	1073	103	6.0		32.1
	<b>Curve Bender Index</b>				<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
119	FIRST	13.60	104	3.80	113	0.20	114				
Sire: SR TATANKA WARRIOR P425						<b>Base Price</b> \$1,900					
MGS: SR CADENCE WARRIOR P456						• Appendix Registered					
MGS: SR CHEROKEE OUTLAW E504						• Top 10% REA EPD					
GGGS: UPDATE OF BRINKS 71Y2						• Maternal Excellence					
<b>Dam's Progeny Record</b>									<b>Progeny Ultrasound</b>		
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
T761	3	2	81	100	100	101	13.6	3.80	0.20		

<b>7</b>	<b>SR SIOUX WARRIOR W673</b>									S	
	Reg. # <b>R10153701</b> Birth Date: <b>11/23/09</b> Tattoo: <b>W673</b>										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-3.3	20	44	15	26	0.5	0.39	-0.04	0.011		
	1%	60%	40%	10%	15%	65%	45%	75%	95%		
	<b>Act</b>	<b>205-Day</b>		<b>Test</b>		<b>365-Day Yearling</b>					
	BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS		SC
	70	590	113	2.75	2.82	99	1030	106	5.8		28.4
	<b>Curve Bender Index</b>				<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
109	SECOND	13.75	118	2.89	88	0.24	131				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b> \$1,900					
MGS: CCR SLEEP EASY 38H						• Sleep Easy at Night					
MGS: CCR UPDATE 314C						• Top 1% BW EPD					
GGGS: CCR PATHFINDER 152W						• High Maternal Sire					
<b>Dam's Progeny Record</b>									<b>Progeny Ultrasound</b>		
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
624N	6	5	81	111	111	112	13.8	2.66	0.21		

<b>8</b>	<b>SR SIOUX WARRIOR W609</b>									S	
	Reg. # <b>R10153686</b> Birth Date: <b>10/26/09</b> Tattoo: <b>W609</b>										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-1.2	18	42	11	20	0.8	-0.06	0.02	-0.011		
	10%	65%	45%	25%	40%	35%	95%	50%	4%		
	<b>Act</b>	<b>205-Day</b>		<b>Test</b>		<b>365-Day Yearling</b>					
	BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS		SC
	86	506	97	2.98	2.60	91	982	101	6.7		30.9
	<b>Curve Bender Index</b>				<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
104	SECOND	11.26	97	3.36	102	0.11	60				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b> \$1,900					
MGS: CCR PATHFINDER 152W						• Top 10% BW EPD					
MGS: EXTRA OF BRINKS 193M9						• Very Balanced					
GGGS: VCC CRACKERJACK 101N2						• Great Disposition					
<b>Dam's Progeny Record</b>									<b>Progeny Ultrasound</b>		
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
196E	14	10	74	106	98	101	11.6	3.04	0.13		

<b>9</b>	<b>SR SIOUX WARRIOR W636</b>									S	
	Reg. # <b>R10153690</b> Birth Date: <b>11/7/09</b> Tattoo: <b>W636</b>										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-1.9	20	42	12	22	0.7	-0.17	-0.03	-0.002		
	5%	60%	45%	20%	30%	45%	95%	70%	45%		
	<b>Act</b>	<b>205-Day</b>		<b>Test</b>		<b>365-Day Yearling</b>					
	BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS		SC
	78	511	98	2.86	2.63	92	968	99	5.3		30.7
	<b>Curve Bender Index</b>				<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
104	SECOND	10.78	93	2.91	88	0.16	88				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b> \$1,900					
MGS: CCR SLEEP EASY 38H						• Calving Ease Excellence					
MGS: CCR PATHFINDER 196C5						• Top 5% BW EPD					
GGGS: CCR PATHFINDER 152W						• High Maternal Sire					
<b>Dam's Progeny Record</b>									<b>Progeny Ultrasound</b>		
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
452M	7	6	65	100	95	96	10.4	2.90	0.16		

	BW	WW	YW	MILK	TM	SC	REA	%IMF	FT
<b>EPDS</b>	0.5	21.8	39.7	7.7	18.6	0.70	0.35	0.024	-0.001

<b>10</b>	<b>SR COMANCHE WARRIOR W430</b>										S																										
	Reg. # R10153642 Birth Date: 11/25/09 Tattoo: W430																																				
<b>EPDS</b>																																					
<table border="1"> <tr> <th>BW</th> <th>WW</th> <th>YW</th> <th>Milk</th> <th>TM</th> <th>SC</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>0.4</td> <td>25</td> <td>49</td> <td>12</td> <td>25</td> <td>1.5</td> <td>0.35</td> <td>-0.07</td> <td>-0.009</td> </tr> <tr> <td>50%</td> <td>35%</td> <td>25%</td> <td>20%</td> <td>20%</td> <td>1%</td> <td>55%</td> <td>85%</td> <td>10%</td> </tr> </table>											BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat	0.4	25	49	12	25	1.5	0.35	-0.07	-0.009	50%	35%	25%	20%	20%	1%	55%	85%	10%
BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat																													
0.4	25	49	12	25	1.5	0.35	-0.07	-0.009																													
50%	35%	25%	20%	20%	1%	55%	85%	10%																													
<b>Act 205-Day Test 365-Day Yearling</b>																																					
<table border="1"> <tr> <th>BW</th> <th>Wt</th> <th>Ratio</th> <th>ADG</th> <th>WDA</th> <th>Ratio</th> <th>Wt</th> <th>Ratio</th> <th>FS</th> <th>SC</th> </tr> <tr> <td>88</td> <td>626</td> <td>108</td> <td>2.89</td> <td>2.95</td> <td>103</td> <td>1088</td> <td>105</td> <td>5.5</td> <td>38.3</td> </tr> </table>											BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC	88	626	108	2.89	2.95	103	1088	105	5.5	38.3							
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC																												
88	626	108	2.89	2.95	103	1088	105	5.5	38.3																												
<b>Curve Bender Index Carcass Ultrasound Scans</b>																																					
<table border="1"> <tr> <th>CBI</th> <th>Quartile</th> <th>REA</th> <th>Ratio</th> <th>%IMF</th> <th>Ratio</th> <th>Fat</th> <th>Ratio</th> </tr> <tr> <td>100</td> <td>SECOND</td> <td>13.07</td> <td>100</td> <td>1.79</td> <td>53</td> <td>0.15</td> <td>86</td> </tr> </table>											CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio	100	SECOND	13.07	100	1.79	53	0.15	86											
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio																														
100	SECOND	13.07	100	1.79	53	0.15	86																														
<p>Sire: UPPERCUT OF BRINKS 14J8                  MGS: ACES TF WRANGLER 145/8                  MGS: CADENCE OF BRINKS 535D3                  GGS: UPDATE OF BRINKS 71Y2</p>																																					
<b>Dam's Progeny Record Progeny Ultrasound</b>																																					
<table border="1"> <tr> <th>Dam</th> <th>Age</th> <th># Prog</th> <th>Act</th> <th>BW</th> <th>BW-R</th> <th>WW-R</th> <th>YW-R</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>S616</td> <td>4</td> <td>3</td> <td>81</td> <td>101</td> <td>107</td> <td>104</td> <td>104</td> <td>13.1</td> <td>2.16</td> <td>0.13</td> </tr> </table>											Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat	S616	4	3	81	101	107	104	104	13.1	2.16	0.13					
Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat																											
S616	4	3	81	101	107	104	104	13.1	2.16	0.13																											

<b>11</b>	<b>SR SIOUX WARRIOR W671</b>										S																										
	Reg. # R10153700 Birth Date: 11/23/09 Tattoo: W671																																				
<b>EPDS</b>																																					
<table border="1"> <tr> <th>BW</th> <th>WW</th> <th>YW</th> <th>Milk</th> <th>TM</th> <th>SC</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>3.0</td> <td>34</td> <td>71</td> <td>12</td> <td>29</td> <td>1.1</td> <td>-0.14</td> <td>0.03</td> <td>0.006</td> </tr> <tr> <td>95%</td> <td>10%</td> <td>2%</td> <td>20%</td> <td>10%</td> <td>15%</td> <td>95%</td> <td>45%</td> <td>85%</td> </tr> </table>											BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat	3.0	34	71	12	29	1.1	-0.14	0.03	0.006	95%	10%	2%	20%	10%	15%	95%	45%	85%
BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat																													
3.0	34	71	12	29	1.1	-0.14	0.03	0.006																													
95%	10%	2%	20%	10%	15%	95%	45%	85%																													
<b>Act 205-Day Test 365-Day Yearling</b>																																					
<table border="1"> <tr> <th>BW</th> <th>Wt</th> <th>Ratio</th> <th>ADG</th> <th>WDA</th> <th>Ratio</th> <th>Wt</th> <th>Ratio</th> <th>FS</th> <th>SC</th> </tr> <tr> <td>104</td> <td>588</td> <td>112</td> <td>3.62</td> <td>3.14</td> <td>109</td> <td>1168</td> <td>120</td> <td>6.8</td> <td>36.3</td> </tr> </table>											BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC	104	588	112	3.62	3.14	109	1168	120	6.8	36.3							
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC																												
104	588	112	3.62	3.14	109	1168	120	6.8	36.3																												
<b>Curve Bender Index Carcass Ultrasound Scans</b>																																					
<table border="1"> <tr> <th>CBI</th> <th>Quartile</th> <th>REA</th> <th>Ratio</th> <th>%IMF</th> <th>Ratio</th> <th>Fat</th> <th>Ratio</th> </tr> <tr> <td>98</td> <td>SECOND</td> <td>10.75</td> <td>92</td> <td>3.92</td> <td>119</td> <td>0.23</td> <td>126</td> </tr> </table>											CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio	98	SECOND	10.75	92	3.92	119	0.23	126											
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio																														
98	SECOND	10.75	92	3.92	119	0.23	126																														
<p>Sire: SR CADENCE WARRIOR S702                  MGS: CCR THUNDER 3241M7                  MGS: CCR SLEEP EASY 38H                  GGS: CCR PATHFINDER 152W</p>																																					
<b>Dam's Progeny Record Progeny Ultrasound</b>																																					
<table border="1"> <tr> <th>Dam</th> <th>Age</th> <th># Prog</th> <th>Act</th> <th>BW</th> <th>BW-R</th> <th>WW-R</th> <th>YW-R</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>96S7</td> <td>3</td> <td>2</td> <td>89</td> <td>120</td> <td>112</td> <td>120</td> <td>120</td> <td>10.8</td> <td>3.92</td> <td>0.23</td> </tr> </table>											Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat	96S7	3	2	89	120	112	120	120	10.8	3.92	0.23					
Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat																											
96S7	3	2	89	120	112	120	120	10.8	3.92	0.23																											

<b>12</b>	<b>SR WRANGLER WARRIOR W405</b>										S																										
	Reg. # R10153617 Birth Date: 11/12/09 Tattoo: W405																																				
<b>EPDS</b>																																					
<table border="1"> <tr> <th>BW</th> <th>WW</th> <th>YW</th> <th>Milk</th> <th>TM</th> <th>SC</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>3.0</td> <td>36</td> <td>64</td> <td>19</td> <td>38</td> <td>0.3</td> <td>0.32</td> <td>0.07</td> <td>0.004</td> </tr> <tr> <td>95%</td> <td>10%</td> <td>5%</td> <td>2%</td> <td>1%</td> <td>85%</td> <td>60%</td> <td>30%</td> <td>80%</td> </tr> </table>											BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat	3.0	36	64	19	38	0.3	0.32	0.07	0.004	95%	10%	5%	2%	1%	85%	60%	30%	80%
BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat																													
3.0	36	64	19	38	0.3	0.32	0.07	0.004																													
95%	10%	5%	2%	1%	85%	60%	30%	80%																													
<b>Act 205-Day Test 365-Day Yearling</b>																																					
<table border="1"> <tr> <th>BW</th> <th>Wt</th> <th>Ratio</th> <th>ADG</th> <th>WDA</th> <th>Ratio</th> <th>Wt</th> <th>Ratio</th> <th>FS</th> <th>SC</th> </tr> <tr> <td>96</td> <td>585</td> <td>120</td> <td>3.07</td> <td>2.77</td> <td>97</td> <td>1075</td> <td>100</td> <td>5.4</td> <td>31.7</td> </tr> </table>											BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC	96	585	120	3.07	2.77	97	1075	100	5.4	31.7							
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC																												
96	585	120	3.07	2.77	97	1075	100	5.4	31.7																												
<b>Curve Bender Index Carcass Ultrasound Scans</b>																																					
<table border="1"> <tr> <th>CBI</th> <th>Quartile</th> <th>REA</th> <th>Ratio</th> <th>%IMF</th> <th>Ratio</th> <th>Fat</th> <th>Ratio</th> </tr> <tr> <td>95</td> <td>SECOND</td> <td>13.53</td> <td>100</td> <td>5.16</td> <td>100</td> <td>0.21</td> <td>100</td> </tr> </table>											CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio	95	SECOND	13.53	100	5.16	100	0.21	100											
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio																														
95	SECOND	13.53	100	5.16	100	0.21	100																														
<p>Sire: ACES TF WRANGLER 145/8                  MGS: SR CADENCE WARRIOR R568                  MGS: BURTIN'S TRANSFORMER 803G3                  GGS: ACES TF WRANGLER 145/8</p>																																					
<b>Dam's Progeny Record Progeny Ultrasound</b>																																					
<table border="1"> <tr> <th>Dam</th> <th>Age</th> <th># Prog</th> <th>Act</th> <th>BW</th> <th>BW-R</th> <th>WW-R</th> <th>YW-R</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>U841</td> <td>2</td> <td>1</td> <td>96</td> <td>122</td> <td>120</td> <td>100</td> <td>100</td> <td>13.5</td> <td>5.16</td> <td>0.21</td> </tr> </table>											Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat	U841	2	1	96	122	120	100	100	13.5	5.16	0.21					
Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat																											
U841	2	1	96	122	120	100	100	13.5	5.16	0.21																											

<b>13</b>	<b>SR MOHICAN WARRIOR W559</b>										S																										
	Reg. # R10153666 Birth Date: 10/3/09 Tattoo: W559																																				
<b>EPDS</b>																																					
<table border="1"> <tr> <th>BW</th> <th>WW</th> <th>YW</th> <th>Milk</th> <th>TM</th> <th>SC</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>1.3</td> <td>29</td> <td>58</td> <td>12</td> <td>27</td> <td>0.5</td> <td>0.30</td> <td>0.18</td> <td>0.009</td> </tr> <tr> <td>75%</td> <td>20%</td> <td>10%</td> <td>20%</td> <td>15%</td> <td>65%</td> <td>65%</td> <td>10%</td> <td>95%</td> </tr> </table>											BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat	1.3	29	58	12	27	0.5	0.30	0.18	0.009	75%	20%	10%	20%	15%	65%	65%	10%	95%
BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat																													
1.3	29	58	12	27	0.5	0.30	0.18	0.009																													
75%	20%	10%	20%	15%	65%	65%	10%	95%																													
<b>Act 205-Day Test 365-Day Yearling</b>																																					
<table border="1"> <tr> <th>BW</th> <th>Wt</th> <th>Ratio</th> <th>ADG</th> <th>WDA</th> <th>Ratio</th> <th>Wt</th> <th>Ratio</th> <th>FS</th> <th>SC</th> </tr> <tr> <td>100</td> <td>468</td> <td>94</td> <td>2.73</td> <td>2.50</td> <td>98</td> <td>905</td> <td>98</td> <td>6.4</td> <td>29.9</td> </tr> </table>											BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC	100	468	94	2.73	2.50	98	905	98	6.4	29.9							
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC																												
100	468	94	2.73	2.50	98	905	98	6.4	29.9																												
<b>Curve Bender Index Carcass Ultrasound Scans</b>																																					
<table border="1"> <tr> <th>CBI</th> <th>Quartile</th> <th>REA</th> <th>Ratio</th> <th>%IMF</th> <th>Ratio</th> <th>Fat</th> <th>Ratio</th> </tr> <tr> <td>90</td> <td>SECOND</td> <td>11.18</td> <td>95</td> <td>5.68</td> <td>161</td> <td>0.24</td> <td>133</td> </tr> </table>											CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio	90	SECOND	11.18	95	5.68	161	0.24	133											
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio																														
90	SECOND	11.18	95	5.68	161	0.24	133																														
<p>Sire: TCB CATAWBA WARRIOR R532                  MGS: CCR SLEEP EASY 38H                  MGS: CCR BULLET 064Y6                  GGS: CCR PATHFINDER 152W</p>																																					
<b>Dam's Progeny Record Progeny Ultrasound</b>																																					
<table border="1"> <tr> <th>Dam</th> <th>Age</th> <th># Prog</th> <th>Act</th> <th>BW</th> <th>BW-R</th> <th>WW-R</th> <th>YW-R</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>134N</td> <td>6</td> <td>5</td> <td>77</td> <td>107</td> <td>89</td> <td>92</td> <td>92</td> <td>11.2</td> <td>5.68</td> <td>0.24</td> </tr> </table>											Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat	134N	6	5	77	107	89	92	92	11.2	5.68	0.24					
Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat																											
134N	6	5	77	107	89	92	92	11.2	5.68	0.24																											

<b>14</b>	<b>SR WRANGLER WARRIOR W421</b>										S																										
	Reg. # R10153633 Birth Date: 11/22/09 Tattoo: W421																																				
<b>EPDS</b>																																					
<table border="1"> <tr> <th>BW</th> <th>WW</th> <th>YW</th> <th>Milk</th> <th>TM</th> <th>SC</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>0.9</td> <td>32</td> <td>60</td> <td>24</td> <td>40</td> <td>0.4</td> <td>0.45</td> <td>0.07</td> <td>-0.002</td> </tr> <tr> <td>65%</td> <td>15%</td> <td>10%</td> <td>1%</td> <td>1%</td> <td>75%</td> <td>35%</td> <td>30%</td> <td>45%</td> </tr> </table>											BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat	0.9	32	60	24	40	0.4	0.45	0.07	-0.002	65%	15%	10%	1%	1%	75%	35%	30%	45%
BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat																													
0.9	32	60	24	40	0.4	0.45	0.07	-0.002																													
65%	15%	10%	1%	1%	75%	35%	30%	45%																													
<b>Act 205-Day Test 365-Day Yearling</b>																																					
<table border="1"> <tr> <th>BW</th> <th>Wt</th> <th>Ratio</th> <th>ADG</th> <th>WDA</th> <th>Ratio</th> <th>Wt</th> <th>Ratio</th> <th>FS</th> <th>SC</th> </tr> <tr> <td>90</td> <td>627</td> <td>108</td> <td>3.05</td> <td>3.04</td> <td>107</td> <td>1114</td> <td>107</td> <td>7.3</td> <td>31.3</td> </tr> </table>											BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC	90	627	108	3.05	3.04	107	1114	107	7.3	31.3							
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC																												
90	627	108	3.05	3.04	107	1114	107	7.3	31.3																												
<b>Curve Bender Index Carcass Ultrasound Scans</b>																																					
<table border="1"> <tr> <th>CBI</th> <th>Quartile</th> <th>REA</th> <th>Ratio</th> <th>%IMF</th> <th>Ratio</th> <th>Fat</th> <th>Ratio</th> </tr> <tr> <td>90</td> <td>SECOND</td> <td>13.64</td> <td>104</td> <td>3.10</td> <td>92</td> <td>0.14</td> <td>80</td> </tr> </table>											CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio	90	SECOND	13.64	104	3.10	92	0.14	80											
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio																														
90	SECOND	13.64	104	3.10	92	0.14	80																														
<p>Sire: ACES TF WRANGLER 145/8                  MGS: CADENCE OF BRINKS 535D3                  MGS: SR CHEROKEE OUTLAW E504                  GGS: UPDATE OF BRINKS 71Y2</p>																																					
<b>Dam's Progeny Record Progeny Ultrasound</b>																																					
<table border="1"> <tr> <th>Dam</th> <th>Age</th> <th># Prog</th> <th>Act</th> <th>BW</th> <th>BW-R</th> <th>WW-R</th> <th>YW-R</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>N316</td> <td>7</td> <td>5</td> <td>85</td> <td>105</td> <td>103</td> <td>108</td> <td>108</td> <td>13.6</td> <td>3.10</td> <td>0.14</td> </tr> </table>											Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat	N316	7	5	85	105	103	108	108	13.6	3.10	0.14					
Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat																											
N316	7	5	85	105	103	108	108	13.6	3.10	0.14																											

<b>15</b>	<b>SR WRANGLER WARRIOR W428</b>										S																										
	Reg. # R10153640 Birth Date: 11/24/09 Tattoo: W428																																				
<b>EPDS</b>																																					
<table border="1"> <tr> <th>BW</th> <th>WW</th> <th>YW</th> <th>Milk</th> <th>TM</th> <th>SC</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>2.0</td> <td>34</td> <td>60</td> <td>21</td> <td>38</td> <td>0.2</td> <td>0.38</td> <td>0.10</td> <td>-0.001</td> </tr> <tr> <td>90%</td> <td>10%</td> <td>10%</td> <td>1%</td> <td>1%</td> <td>90%</td> <td>45%</td> <td>25%</td> <td>50%</td> </tr> </table>											BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat	2.0	34	60	21	38	0.2	0.38	0.10	-0.001	90%	10%	10%	1%	1%	90%	45%	25%	50%
BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat																													
2.0	34	60	21	38	0.2	0.38	0.10	-0.001																													
90%	10%	10%	1%	1%	90%	45%	25%	50%																													
<b>Act 205-Day Test 365-Day Yearling</b>																																					
<table border="1"> <tr> <th>BW</th> <th>Wt</th> <th>Ratio</th> <th>ADG</th> <th>WDA</th> <th>Ratio</th> <th>Wt</th> <th>Ratio</th> <th>FS</th> <th>SC</th> </tr> <tr> <td>98</td> <td>655</td> <td>113</td> <td>2.93</td> <td>3.06</td> <td>107</td> <td>1123</td> <td>108</td> <td>7.3</td> <td>30.6</td> </tr> </table>											BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC	98	655	113	2.93	3.06	107	1123	108	7.3	30.6							
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC																												
98	655	113	2.93	3.06	107	1123	108	7.3	30.6																												
<b>Curve Bender Index Carcass Ultrasound Scans</b>																																					
<table border="1"> <tr> <th>CBI</th> <th>Quartile</th> <th>REA</th> <th>Ratio</th> <th>%IMF</th> <th>Ratio</th> <th>Fat</th> <th>Ratio</th> </tr> <tr> <td>90</td> <td>SECOND</td> <td>12.86</td> <td>98</td> <td>3.29</td> <td>98</td> <td>0.15</td> <td>86</td> </tr> </table>											CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio	90	SECOND	12.86	98	3.29	98	0.15	86											
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio																														
90	SECOND	12.86	98	3.29	98	0.15	86																														
<p>Sire: ACES TF WRANGLER 145/8                  MGS: CADENCE OF BRINKS 535D3                  MGS: TYSON OF BRINKS LB302Y62                  GGS: UPDATE OF BRINKS 71Y2</p>																																					
<b>Dam's Progeny Record Progeny Ultrasound</b>																																					
<table border="1"> <tr> <th>Dam</th> <th>Age</th> <th># Prog</th> <th>Act</th> <th>BW</th> <th>BW-R</th> <th>WW-R</th> <th>YW-R</th> <th>REA</th> <th>%IMF</th> <th>Fat</th> </tr> <tr> <td>K022</td> <td>10</td> <td>8</td> <td>84</td> <td>105</td> <td>102</td> <td>103</td> <td>13.0</td> <td>3.09</td> <td>0.13</td> </tr> </table>											Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat	K022	10	8	84	105	102	103	13.0	3.09	0.13						
Dam	Age	# Prog	Act	BW	BW-R	WW-R	YW-R	REA	%IMF	Fat																											
K022	10	8	84	105	102	103	13.0	3.09	0.13																												

	BW	WW	YW	MILK	TM	SC	REA	%IMF	FT
<b>EPDS</b>	0.5	21.8	39.7	7.7	18.6	0.70	0.35	0.024	-0.001

2011 Spitzer Ranch Bull Sale - Profitable Genetics from Performance Cattlemen

<b>16</b>	<b>WTN COMANCHE WARRIOR W468</b>										T
	Reg. # R10168146 Birth Date: 12/1/09 Tattoo: W468										
<b>EPDs</b>											
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-2.0	19	37	13	22	1.5	0.31	0.05	-0.004		
	4%	60%	60%	15%	30%	1%	60%	40%	30%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>	<b>365-Day Yearling</b>						
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC		
86	704	98	2.49	3.01	106	1102	95	6.4	38.2		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
89	SECOND	14.85	105	3.94	80	0.22	102				
Sire: UPPERCUT OF BRINKS 14J8						<b>Base Price</b>		\$1,900			
MGS: ACES TF WRANGLER 145/8						<ul style="list-style-type: none"> <li>Highest REA Scan</li> <li>Top 1% SC EPD</li> <li>Highest SC @ 38.2 cm</li> </ul>					
MGS: CADENCE OF BRINKS 535D3											
GGGS: SCOTCHCAP OF BRINKS 544B											
<b>Dam's Progeny Record</b>											
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
N122	7	6	81	95	103	101	13.3	3.69	0.19		

<b>17</b>	<b>SR COMANCHE WARRIOR W422</b>										S
	Reg. # R10153634 Birth Date: 11/22/09 Tattoo: W422										
<b>EPDs</b>											
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	1.9	26	52	11	24	1.1	0.37	0.05	-0.007		
	90%	30%	20%	25%	30%	15%	50%	40%	15%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>	<b>365-Day Yearling</b>						
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC		
96	586	101	3.01	2.89	101	1068	103	5.8	32.1		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
80	SECOND	12.84	98	2.92	87	0.10	57				
Sire: UPPERCUT OF BRINKS 14J8						<b>Base Price</b>		\$1,900			
MGS: ACES TF WRANGLER 145/8						<ul style="list-style-type: none"> <li>Very Balance EPDs</li> <li>Top 15% SC EPD</li> <li>Will Moderate Frame</li> </ul>					
MGS: CADENCE OF BRINKS 535D3											
GGGS: TYSON OF BRINKS LB302Y62											
<b>Dam's Progeny Record</b>											
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
S642	4	3	93	117	100	104	14.0	3.23	0.22		

<b>18</b>	<b>SR SIOUX WARRIOR W595</b>										S
	Reg. # R10153684 Birth Date: 10/22/09 Tattoo: W595										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-4.8	13	30	13	20	0.6	-0.10	-0.08	0.000		
	1%	85%	80%	15%	40%	55%	95%	90%	55%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>	<b>365-Day Yearling</b>						
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC		
68	519	104	2.42	2.45	96	906	98	5.7	32.1		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
69	THIRD	10.63	91	2.74	78	0.16	89				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b>		\$1,400			
MGS: CCR INTEGRITY 589K4						<ul style="list-style-type: none"> <li>Sleep Easy at Night</li> <li>Top 1% BW EPD</li> <li>Great Maternal Sire</li> </ul>					
MGS: CCR SLEEP EASY 38H											
GGGS: CCR MR. EXACTO 7W5											
<b>Dam's Progeny Record</b>											
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
18S5	3	2	68	92	94	92	10.6	2.74	0.16		

<b>19</b>	<b>SR SIOUX WARRIOR W605</b>										S
	Reg. # R10153685 Birth Date: 10/26/09 Tattoo: W605										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-5.1	10	28	13	18	0.4	0.07	-0.21	0.002		
	1%	95%	80%	15%	55%	75%	95%	95%	70%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>	<b>365-Day Yearling</b>						
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC		
60	502	96	2.69	2.48	87	932	96	4.2	28.6		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
69	THIRD	11.66	100	1.18	36	0.14	77				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b>		\$1,400			
MGS: CCR THUNDER 3241M7						<ul style="list-style-type: none"> <li>Calving Ease Excellence</li> <li>Top 1% BW EPD</li> <li>Lowest Act BW @ 60#</li> </ul>					
MGS: CCR INTEGRITY 589K4											
GGGS: CCR UPDATE 314C											
<b>Dam's Progeny Record</b>											
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
1893S3	3	2	51	75	96	96	11.7	1.18	0.14		

<b>20</b>	<b>SR SIOUX WARRIOR W669</b>										S
	Reg. # R10153699 Birth Date: 11/20/09 Tattoo: W669										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-3.2	16	28	17	25	0.5	0.08	0.08	-0.004		
	1%	75%	80%	4%	20%	65%	95%	30%	30%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>	<b>365-Day Yearling</b>						
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC		
70	555	106	2.20	2.47	86	907	93	5.2	29.8		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
69	THIRD	12.02	103	4.15	126	0.17	93				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b>		\$1,400			
MGS: CCR INTEGRITY 589K4						<ul style="list-style-type: none"> <li>Sleep Easy at Night</li> <li>Top 1% BW EPD</li> <li>Top 4% Milk EPD</li> </ul>					
MGS: CCR SLEEP EASY 38H											
GGGS: CCR SLEEPEASY T378G2											
<b>Dam's Progeny Record</b>											
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
743R3	4	3	79	106	105	101	12.0	4.15	0.17		

<b>21</b>	<b>SR SIOUX WARRIOR W619</b>										S
	Reg. # R10153689 Birth Date: 10/29/09 Tattoo: W619										
	<b>EPDs</b>										
	BW	WW	YW	Milk	TM	SC	REA	%IMF	Fat		
	-5.7	12	22	21	27	0.5	0.00	0.14	0.002		
	1%	90%	95%	1%	15%	65%	95%	15%	70%		
<b>Act</b>	<b>205-Day</b>			<b>Test</b>	<b>365-Day Yearling</b>						
BW	Wt	Ratio	ADG	WDA	Ratio	Wt	Ratio	FS	SC		
62	565	108	2.59	2.65	93	979	101	6.2	29.1		
<b>Curve Bender Index</b>					<b>Carcass Ultrasound Scans</b>						
CBI	Quartile	REA	Ratio	%IMF	Ratio	Fat	Ratio				
54	THIRD	11.19	96	4.65	141	0.23	126				
Sire: SR CADENCE WARRIOR S702						<b>Base Price</b>		\$1,400			
MGS: CCR SLEEP EASY T378G2						<ul style="list-style-type: none"> <li>Super Calving Ease</li> <li>Lowest BW EPD</li> <li>Great 4.665% IMF Scan</li> </ul>					
MGS: CADENCE OF BRINKS 535D3											
GGGS: EXXON OF BRINKS 823S6											
<b>Dam's Progeny Record</b>											
Dam	Age	# Prog	Act BW	BW-R	WW-R	YW-R	REA	%IMF	Fat		
743K	9	7	67	97	106	96	11.1	3.65	0.16		

	BW	WW	YW	MILK	TM	SC	REA	%IMF	FT
EPDS	0.5	21.8	39.7	7.7	18.6	0.70	0.35	0.024	-0.001

Spitzer Ranch



**John & Patricia Spitzer**

1511 Hwy 59 • Fair Play, SC 29643

864/972-9140

spitzeranch@mindspring.com



**Brangus Seedstock Producer**

*Profitable Genetics from Performance Cattlemen*



Spitzer Ranch

*Professional Cattlemen's  
Performance-Tested Brangus Bull Sale  
and  
Brangus Gold Commercial Female Sale*

**Saturday, February 26, 2011**

**1:00 pm • At the Ranch • Fair Play, SC**

*Exit North off I-85 at Exit 2, Go North on SC Hwy 59  
for 2 miles and look for our ranch sign on your left.*